CANADIAN JOURNAL OF ZOOLOGY

JOURNAL CANADIEN DE ZOOLOGIE

Volume 66, 1988

Author Index / Index des auteurs

Aarnio, M. see Soveri, T., 562

Abdullaihi, B.A. see Laybourn-Parry, J., 2709

Abrantes, I.M. de O., and Vovlas, N. A note on parasitism of the phytonematodes *Meloidogyne* sp. and *Heterodera fici* by *Pasteuria penetrans*, 2852

Ackman, R.G., and Eaton, C.A. $n-3$ Docosapentaenoic acid in blubber of dam and pup grey seals (*Halichoerus grypus*): implications in the Inuit diet and for human health, 2428

Adamczewski, J.Z., Gates, C.C., Soutar, B.M., and Hudson, R.J. Limiting effects of snow on seasonal habitat use and diets of caribou (*Rangifer tarandus groenlandicus*) on Coats Island, Northwest Territories, Canada, 1986

Adamo, S.A., and Chase, R. Courtship and copulation in the terrestrial snail *Helix aspersa*, 1446

Adams, N.J., Barton, D.R., Cunjak, R.A., Power, G., and Riley, S.C. Diel patterns of activity and substrate preference in young Arctic char from the Koroc River, northern Quebec, 2500

Adamson, M.L., and Baccam, D. Systematic revision of the Atractidae *sensu* Chabaud (1978) (Nematoda; Cosmocercoidea): ***Maracaya belemensis*** n.sp. and ***Aplectana albae*** n.sp. from *Amphisbaena alba* in Brazil, 1857

Adamson, M.L. see Richardson, J.P.M., 1502

Addison, E.M., Hoeve, J., Joachim, D.G., and McLachlin, D.J. *Fascioloides magna* (Trematoda) and *Taenia hydatigena* (Cestoda) from white-tailed deer, 1359

Addison, E.M., Strickland, M.A., Stephenson, A.B., and Hoeve, J. Cranial lesions possibly associated with *Skrjabingylus* (Nematoda: Metastrongyloidea) infections in martens, fishers, and otters, 2155

Adelman, I.R. see Goolish, E.M., 2199

Aldridge, R.D. see Resetarits, W.J., Jr., 329

Alisauskas, R.T. see Kehoe, F.P., 1597

Allard, M.W., and Greenbaum, I.F. Morphological variation and taxonomy of chromosomally differentiated *Peromyscus* from the Pacific Northwest, 2734

Allendorf, F.W. see Ferguson, M.M., 1389

Alvo, R., Hussell, D.J.T., and Berrill, M. The breeding success of common loons (*Gavia immer*) in relation to alkalinity and other lake characteristics in Ontario, 746

Andersen, L.W. Electrophoretic differentiation among local populations of the long-finned pilot whale, *Globicephala melaena*, at the Faroe Islands, 1884

Anderson, R.C. see Wong, P.L., 2262

Anderson, R.C. see Wong, P.L., 2265

Anderson, R.S. The Curculionidae of the Queen Charlotte Islands, British Columbia (Insecta; Coleoptera), 2406

Anderson, S.H. see Miller, B.J., 765

Andreev, A.V. Ecological energetics of Palaearctic Tetraonidae in relation to chemical composition and digestibility of their winter diets, 1382

Ankney, C.D., and Scott, D.M. Size of digestive organs in breeding Brown-headed Cowbirds, *Molothrus ater*, relative to diet, 1254

Ankney, C.D. see Krementz, D.G., 950

Ankney, C.D. see Beasley, B.A., 1352

Ankney, C.D. see Kehoe, F.P., 1597

Ankney, C.D. see Forbes, M.R.L., 2019

Ankney, C.D. see Wilson, S.F., 2045

Arai, H.P., Kabata, Z., and Noakes, D. Studies on seasonal changes and latitudinal differences in the metazoan fauna of the shiner perch, *Cymatogaster aggregata*, along the west coast of North America, 1514

Arai, H.P. see Li, M.-M., 1191

Arai, M.N. Interactions of fish and pelagic coelenterates, 1913

Aresta, F. see Houseman, J.G., 1188

Arnold, T.W. Life histories of North American game birds: a reanalysis, 1906

Baccam, D. see Adamson, M.L., 1857

Baglinière, J.L. see Maisse, G., 2312

Bailey, J.A. see Masteller, M.A., 2485

Bailey, R.C., and Green, R.H. Within-basin variation in the shell morphology and growth rate of a freshwater mussel, 1704

Baird, R.W., and Stacey, P.J. Variation in saddle patch pigmentation in populations of killer whales (*Orcinus orca*) from British Columbia, Alaska, and Washington State, 2582

Baker, C.S. see Lambertsen, R.H., 1243

Baker, M.R., and Green, D.M. Helminth parasites of native frogs (Leiopelmatidae) from New Zealand, 707

Bakko, E.B., Porter, W.P., and Wunder, B.A. Body temperature patterns in black-tailed prairie dogs in the field, 1783

Baldwin, J. Adaptation, constraint, and convergence among vertebrate LDH isozymes: an evolutionary perspective, 1011

Ballantyne, J.S., and Chamberlin, M.E. Adaptation and evolution of mitochondria: osmotic and ionic considerations, 1028

Barber, D.L. see Green, D.M., 1610

Barclay, R.M.R. see Koehler, C.E., 1982

Barlow, J.C. see Bortolotti, G.R., 1948

Barrett, B.A., and McKeown, B.A. Sustained exercise augments long-term starvation increases in plasma growth hormone in the steelhead trout, *Salmo gairdneri*, 853

Barrett, S.C.H. see Wolfe, L.M., 1421

Barrette, C. see Couturier, S., 522

Barton, D.R. see Adams, N.J., 2500

Bath, J.B. see Otis, G.W., 2122

Bauer, A.M., and Russell, A.P. Morphology of gekkonid cutaneous sensilla, with comments on function and phylogeny in the Carphodactylini (Reptilia: Gekkonidae), 1583

Baumgartner, J.V., Bell, M.A., and Weinberg, P.H. Body form differences between the Enos Lake species pair of threespine sticklebacks (*Gasterosteus aculeatus* complex), 467

Beacham, T.D., and Murray, C.B. Influence of photoperiod and temperature on timing of sexual maturity of pink salmon (*Oncorhynchus gorbuscha*), 1729

Beacham, T.D., and Murray, C.B. Variation in developmental biology of pink salmon (*Oncorhynchus gorbuscha*) in British Columbia, 2634

Beasley, B.A., and Ankney, C.D. The effect of plumage color on the thermoregulatory abilities of Lesser Snow Goose goslings, 1352

Beaver, B.J., and Gee, J.H. Role of water current and related

variables in determining buoyancy in the sticklebacks *Culaea inconstans* and *Pungitius pungitius*, 2006

Belanger, J.H. Temperature acclimation of the caudal photoreceptor response in the crayfish *Orconectes rusticus* (Girard), 1168

Bell, M.A. see Baumgartner, J.V., 467

Bendell, B.E. Lake acidity and the distribution and abundance of water striders (Hemiptera: Gerridae) near Sudbury, Ontario, 2209

Beneski, J.T., Jr. see Larsen, J.H., Jr., 1309

Bengtsson, G., and Rundgren, S. The Gusum case: a brass mill and the distribution of soil Collembola, 1518

Benz, G.W., and Deets, G.B. Fifty-one years later: an update on *Entepherus*, with a phylogenetic analysis of Cecropidae Dana, 1849 (Copepoda: Siphonostomatoida), 856

Benz, G.W. see Deets, G.B., 866

Berrill, M. see Alvo, R., 746

Bethke, R.W., and Thomas, V.G. Differences in flight and heart muscle mass among geese, dabbling ducks, and diving ducks relative to habitat use, 2024

Beveridge, M.C.M., Briggs, M.R.P., Northcott, M.E., and Ross, L.G. The occurrence, structure, and development of microbranchiospines among the tilapias (Cichlidae: Tilapiini), 2564

Bird, D.M. see Saumier, M.D., 1685

Bishop, C.A. see Galbraith, D.A., 1233

Bissonette, J.A. see Halpin, M.A., 587

Blair, D., Brooks, D.R., Purdie, J., and Melville, L. ***Timoniella absita*** n.sp. (Digenea: Cryptogonimidae) from the saltwater crocodile (*Crocodylus porosus* Schneider) from Australia, 1763

Blake, R.W., and Smith, M.D. On penguin porpoising, 2093

Blancher, P.J., and McNicol, D.K. Breeding biology of tree swallows in relation to wetland acidity, 842

Blier, P. see Guderley, H., 1105

Blinn, D.W., Pinney, C., and Wagner, V.T. Intraspecific discrimination of amphipod prey by a freshwater leech through mechanoreception, 427

Blixt, J.A. see Espinosa, R.H., 2118

Boag, D.A. see Poole, K.G., 334

Boag, D.A. see Komers, P.E., 1679

Bodega, G., Fernandez, B., Suarez, I., et Gianonatti, C. Glioarchitecture de la moelle épinière du crapaud (*Bufo bufo* L.) : étude au microscope optique avec des techniques d'imprégnation métallique, 2415

Boer, A.H., Goltz, J.P., and Currie, R.H. Ovarian cysts in moose in southeastern New Brunswick, 512

Boertje, R.D., Gasaway, W.C., Grangaard, D.V., and Kelleyhouse, D.G. Predation on moose and caribou by radio-collared grizzly bears in east central Alaska, 2492

Bondrup-Nielsen, S., and Ims, R.A. Demography during a population crash of the wood lemming, *Myopus schisticolor*, 2442

Boness, D.J., Bowen, W.D., and Oftedal, O.T. Evidence of polygyny from spatial patterns of hooded seals (*Cystophora cristata*), 703

Boness, D.J. see Oftedal, O.T., 318

Bordat, C. Les cartilages calcifiés de la petite roussette (*Scyliorhinus canicula* L., Chondrichthyens) : histologie et ultrastructure, 1432

Borg, B., Peute, J., and Paulson, G. Seasonal changes in the gonadotropic cells of the male threespine stickleback, *Gasterosteus aculeatus* L., 1961

Bortolotti, G.R., and Barlow, J.C. Some sources of variation in the elemental composition of Bald Eagle feathers, 1948

Boucher, L. see Desrosiers, G., 1454

Bourgeois, C.E., and O'Connell, M.F. Observations on the seaward migration of Atlantic salmon (*Salmo salar* L.) smolts through a large lake as determined by radiotelemetry and Carlin tagging studies, 685

Bournaud, M. see Cellot, B., 352

Boutilier, R.G. Control of arrhythmic breathing in bimodal breathers: Amphibia, 6

Boutin, S., and Schweiger, S. Manipulation of intruder pressure in red squirrels (*Tamiasciurus hudsonicus*): effects on territory size and acquisition, 2270

Bowen, W.D. see Oftedal, O.T., 318

Bowen, W.D. see Boness, D.J., 703

Brander, R.B. see Maxwell, R.K., 2095

Briggs, M.A. see Zicus, M.C., 1871

Briggs, M.R.P. see Beveridge, M.C.M., 2564

Brinkhurst, R.O. A taxonomic analysis of the Haplotaxidae (Annelida, Oligochaeta), 2243

Brinkhurst, R.O. see Harman, W.J., 2233

Brody, A.J., and Pelton, M.R. Seasonal changes in digestion in black bears, 1482

Bromley, R.G. see Poole, K.G., 2275

Brooks, D.R. see Blair, D., 1763

Brooks, D.R. see McLennan, D.A., 2177

Brooks, R.J. see Galbraith, D.A., 1233

Bryson, S.E. see Marshall, W.S., 1603

Burd, B.J. Comparative gill characteristics of *Munida quadrispina* (Decapoda, Galatheidae) from different habitat oxygen conditions, 2320

Burger, J.F. see Pistrang, L.A., 904

Burggren, W. Cardiovascular responses to diving and their relation to lung and blood oxygen stores in vertebrates, 20

Burt, A., Hunte, W., and Dufresne, F. Identifying the time scale of temporal association, 2090

Butler, P.J. The exercise response and the "classical" diving response during natural submersion in birds and mammals, 29

Byrne, A.P., and Houston, A.H. Use of phenylhydrazine in the detection of responsive changes in hemoglobin isomorph abundances, 758

Cannings, S.G., Cooper, P.D., and Scudder, G.G.E. Effect of temperature on rate of water loss in some water boatmen (Hemiptera: Corixidae), 1877

Carl, G.R., and Robbins, C.T. The energetic cost of predator avoidance in neonatal ungulates: hiding versus following, 239

Carlisle, J.A., Loughton, B.G., and Orchard, I. Hormone-mediated release of carbohydrate from locust fat body *in vitro*, 191

Carlson, C. see Whitehead, H., 217

Caron, F. see Swales, S., 254

Caron, F. see Maisse, G., 2312

Castellini, M.A. Visualizing metabolic transitions in aquatic mammals: does apnea plus swimming equal "diving"?, 40

Cattet, M. see Leighton, F.A., 480

Cawthorn, R.J. see Espinosa, R.H., 2118

Cellot, B., et Bournaud, M. Dynamique spatio-temporelle des déplacements de macroinvertébrés dans une grande rivière, 352

Chakrabartty, A., Hew, C.L., Shears, M., and Fletcher, G. Primary structures of the alanine-rich antifreeze polypeptides from grubby sculpin, *Myoxocephalus aenaeus*, 403

Chamberlin, M.E. see Ballantyne, J.S., 1028

Chamberlin-Lea, J. see Lambertsen, R.H., 1243

Chant, D.A. see Yoshida-Shaul, E., 2053

Chapleau, F. Comparative osteology and intergeneric relationships of the tongue soles (Pisces; Pleuronectiformes: Cynoglossidae), 1214

Chapleau, F. Erratum: Comparative osteology and intergeneric

relationships of the tongue soles (Pisces; Pleuronectiformes: Cynoglossidae, 1903

Chapleau, F., and Keast, A. A phylogenetic reassessment of the monophyletic status of the family Soleidae, with comments on the suborder Soleoidei (Pisces; Pleuronectiformes), 2797

Chase, R. A mutant strain of terrestrial snails (*Achatina fulica*), exhibiting a supernumerary penis, 1491

Chase, R. see Adamo, S.A., 1446

Chauvin, G., Vannier, G., et Vernon, P. Structure fine et rôle, dans la rétention hydrique, des enveloppes de l'oeuf d'un diptère subantarctique, l'*Anatalanta aptera* Eaton (Sphaeroceridae), 2421

Cherel, Y., Robin, J.-P., and Le Maho, Y. Physiology and biochemistry of long-term fasting in birds, 159

Childs, J.E., Glass, G.E., and Korch, G.W., Jr. The comparative epizootiology of *Capillaria hepatica* (Nematoda) in urban rodents from different habitats of Baltimore, Maryland, 2769

Ching, H.L. The distribution of plerocercoids of *Diphyllobothrium dendriticum* (Nitzsch) in sockeye salmon (*Oncorhynchus nerka*) smolts from Great Central Lake, British Columbia, 850

Choe, J.C., and Kim, K.C. Microhabitat preference and coexistence of ectoparasitic arthropods on Alaskan seabirds, 987

Chu, K., and Nieukirk, S. Dorsal fin scars as indicators of age, sex, and social status in humpback whales (*Megaptera novaeangliae*), 336

Chu, K.C. Dive times and ventilation patterns of singing humpback whales (*Megaptera novaeangliae*), 1322

Claytor, R.R., and MacCrimmon, H.R. Morphometric and meristic variability among North American Atlantic salmon (*Salmo salar*), 310

Coderre, D. see Garceau, C., 1777

Colbo, M.H., and Okaeme, A.N. The larval instars of *Cnephia ornithophilia* (Diptera: Simuliidae), a black fly with a variable molting pattern, 2084

Colwell, M.A., and Oring, L.W. Wing fluttering display by incubating male Wilson's phalaropes, 2315

Cone, D.K., and Cusack, R. A study of *Gyrodactylus colemanensis* Mizelle and Kritsky, 1967 and *Gyrodactylus salmonis* (Yin and Sproston, 1948) (Monogenea) parasitizing captive salmonids in Nova Scotia, 409

Conley, D.M., and Mallatt, J. Histochemical localization of $Na^+ - K^+$ ATPase and carbonic anhydrase activity in gills of 17 fish species, 2398

Connes, R., Granie-Prie, M., Diaz, J.P., et Paris, J. Ultrastructure des bourgeons du goût du téléostéen marin *Dicentrarchus labrax* L., 2133

Cooper, P.D. see Cannings, S.G., 1877

Corey, S. Quantitative distributional patterns and aspects of the biology of the Mysidacea (Crustacea: Peracarida) in the zooplankton of the Bay of Fundy region, 1545

Cornell, L.H. see Davis, R.W., 2782

Cortwright, S.A. Intraguild predation and competition: an analysis of net growth shifts in larval amphibian prey, 1813

Costa, D.P. Methods for studying the energetics of freely diving animals, 45

Costa, D.P. see Le Boeuf, B.J., 446

Couturier, S., and Barrette, C. The behavior of moose at natural mineral springs in Quebec, 522

Cranford, P.J. Behaviour and ecological importance of a mud snail (*Ilyanassa obsoleta*) population in a temperate macrotidal estuary, 459

Crête, M. see Jolicoeur, H., 919

Croghan, P.C. see Shelton, G., 109

Cunjak, R.A. see Adams, N.J., 2500

Currie, R.H. see Boer, A.H., 512

Cusack, R. see Cone, D.K., 409

Dadswell, M.J. see Markle, D.F., 1952

Dalby, J.E., Jr., Elliott, J.K., and Ross, D.M. The swim response of the actinian *Stomphia didemon* to certain asteroids: distributional and phylogenetic implications, 2484

Damange, J.-P. see Delattre, P., 2740

Daniel, T.L. Forward flapping flight from flexible fins, 630

Danzmann, R.G. see Ferguson, M.M., 1389

Darling, D.C. Comparative morphology of the labrum in Hymenoptera: the digitate labrum of Perilampidae and Eucharitidae (Chalcidoidea), 2811

Davies, D.M., and Györkös, H. The Simuliidae (Diptera) of Sri Lanka. Description of a new species of *Simulium* (*Morops*), 605

Davies, D.M., and Györkös, H. The Simuliidae (Diptera) of Sri Lanka. Description of a new species of *Simulium* (*Byssodon*), 2150

Davies, P.L., Hew, C.L., and Fletcher, G.L. Fish antifreeze proteins: physiology and evolutionary biology, 2611

Davis, R.W., Williams, T.M., Thomas, J.A., Kastelein, R.A., and Cornell, L.H. The effects of oil contamination and cleaning on sea otters (*Enhydra lutris*). II. Metabolism, thermoregulation, and behavior, 2782

Davis, R.W. see Williams, T.M., 2776

Deblock, S., Pétavy, A.F., et Gilot, B. Helminthes intestinaux du Renard commun (*Vulpes vulpes* L.) dans le Massif central (France), 1562

Deblock, S. see Gilot, B., 696

Deets, G.B., and Benz, G.W. ***Lernanthropinus nematistii*** sp.nov. (Lernanthropidae) and *Caligus tenuifurcatus* Wilson, 1937 (Caligidae), siphonostomatoid copepod parasites of roosterfish (*Nematistius pectoralis* Gill, 1864) from the Sea of Cortez, 866

Deets, G.B. see Kabata, Z., 680

Deets, G.B. see Benz, G.W., 856

Deharveng, L. A new genus of neanurid Collembola from continental Southeast Asia, 714

Dekker, D. Peregrine falcon and merlin predation on small shorebirds and passerines in Alberta, 925

Delattre, P., Pascal, M., Le Pesteur, M.-H., Giraudoux, P., et Damange, J.-P. Caractéristiques écologiques et épidémiologiques de l'*Echinococcus multilocularis* au cours d'un cycle complet des populations d'un hôte intermédiaire (*Microtus arvalis*), 2740

Dellinger, T., and Trillmich, F. Estimating diet composition from scat analysis in otariid seals (Otariidae): is it reliable? 1865

Delobel, B. see Febvay, G., 2449

Delucchi, C.M. Comparison of community structure among streams with different temporal flow regimes, 579

Derrickson, E.M. The effect of experimental termination of lactation on subsequent growth in *Peromyscus leucopus*, 2507

DeRuyter, M.L., and Stiffler, D.F. Acid–base and electrolyte responses to low pH maintained by phosphate–citrate buffers in the bathing medium of the larval salamander *Ambystoma tigrinum*, 2383

Desrosiers, G., Vincent, B., Retière, C., et Boucher, L. Comparaison de critères utilisables pour l'étude de la structure des populations du polychète *Nereis virens* (Sars), 1454

DeStaffan, P.A. see Fuller, R.L., 875

Dethier, V.G. The feeding behavior of a polyphagous caterpillar (*Diacrisia virginica*) in its natural habitat, 1280

Diaz, J.P. see Connes, R., 2133

Diefenbach, D.R., Nichols, J.D., and Hines, J.E. Distribution patterns during winter and fidelity to wintering areas of American black ducks, 1506
Dobson, G.P. see Parkhouse, W.S., 345
Doche, B. see Gilot, B., 696
Dodson, J.J. see Morin, P.-P., 763
Dolphin, W.F. Foraging dive patterns of humpback whales, *Megaptera novaeangliae*, in southeast Alaska: a cost–benefit analysis, 2432
DonCarlos, M.W. see Miller, B.J., 765
Doré, F.Y. see Morin, P.-P., 763
Douse, M.A., and Jones, D.R. Baroreceptor activity in muskrats (*Ondatra zibethica*) during nasal stimulation, 2520
Draper, H.H. see Keiver, K.M., 1297
Driedzic, W.R. Matching of cardiac oxygen delivery and fuel supply to energy demand in teleosts and cephalopods, 1078
Driedzic, W.R. see Stewart, J.M., 2671
Duffield, D.A. see Lambertsen, R.H., 1243
Dufresne, F. see Burt, A., 2090
Duncan, D.C. Body reserves of neonate northern pintails (*Anas acuta*), 811
Duncan, D.C. On the analysis of life-history traits of North American game birds, 1904
Dunn, J.F. Low-temperature adaptation of oxidative energy production in cold-water fishes, 1098
Dunson, W.A. see Frisbie, M.P., 1553
Dupré, R.K., and Wood, S.C. Behavioral temperature regulation by aquatic ectotherms during hypoxia, 2649
Dupuis, H.M.C. see Keenleyside, M.H.A., 262
Dupuis, H.M.C. see Keenleyside, M.H.A., 1242
Duque, S., Muñoz de Hoyos, P., and Rothfels, K. The polytene chromosomes of *Simulium* (*Ectemnaspis*) *ignescens* Roubaud and the related species *Simulium* "C," both from Colombia, 300
Durrieu, G. see Génard, M., 2324
Duszynski, D.W. see Upton, S.J., 2049
Dutta, H.M. see Hossain, A., 998
Eadie, J.McA., Kehoe, F.P., and Nudds, T.D. Pre-hatch and post-hatch brood amalgamation in North American Anatidae: a review of hypotheses, 1709
Eaton, C.A. see Ackman, R.G., 2428
Edmonds, E.J. Population status, distribution, and movements of woodland caribou in west central Alberta, 817
Einsle, U.K. ***Cyclops canadensis*** n.sp. and *Cyclops scutifer* Sars, 1863 (Crustacea: Copepoda) from northern Canada, 2146
Elliott, J.K. see Dalby, J.E., Jr., 2484
Ellis, D.V., and Ronaldson, L.D. *Nephtys cornuta* (Polychaeta: Nephtyidae) and its subspecies, and use of the trinomials in pollution monitoring, 1898
Elsner, R. Anaerobic contributions to metabolism in diving seals, 142
Emmett, B. see Hochachka, P.W., 1128
Espinosa, R.H., Sterner, M.C., Blixt, J.A., and Cawthorn, R.J. Description of a species of *Sarcocystis* (Apicomplexa: Sarcocystidae), a parasite of the northern saw-whet owl, *Aegolius acadicus*, and experimental transmission to deer mice *Peromyscus maniculatus*, 2118
Estes, J.A. see Riedman, M.L., 1396
Estes, R.A. see Taylor, B.E., 2191
Evans, E.W. Grasshopper (Insecta: Orthoptera: Acrididae) assemblages of tallgrass prairie: influences of fire frequency, topography, and vegetation, 1495
Everest, F.H. see Reeves, G.H., 755
Falls, J.B. Does song deter territorial intrusion in White-throated Sparrows (*Zonotrichia albicollis*)?, 206
Falls, J.B. see Horn, A., 284
Farrell, A.P., Hammons, A.M., Graham, M.S., and Tibbits, G.F. Cardiac growth in rainbow trout, *Salmo gairdneri*, 2368
Febvay, G., Delobel, B., and Rahbé, Y. Influence of the amino acid balance on the improvement of an artificial diet for a biotype of *Acyrthosiphon pisum* (Homoptera: Aphididae), 2449
Fedak, M.A., Pullen, M.R., and Kanwisher, J. Circulatory responses of seals to periodic breathing: heart rate and breathing during exercise and diving in the laboratory and open sea, 53
Feldkamp, S.D. see Le Boeuf, B.J., 446
Fender, W.M. see McKey-Fender, D., 2304
Ferguson, M.M., Danzmann, R.G., and Allendorf, F.W. Developmental success of hybrids between two taxa of salmonid fishes with moderate structural gene divergence, 1389
Fergusson, L.A., and Winston, M.L. The influence of wax deprivation on temporal polyethism in honey bee (*Apis mellifera* L.) colonies, 1997
Fernandez, B. see Bodega, G., 2415
Fernández-Galiano, D. see Guinea, A., 2104
Fields, J.H.A. Fermentative adaptations to the lack of oxygen, 1036
FitzGerald, G.J. see Poulin, R., 2002
Fjellberg, A. *Proisotoma rainieri* Folsom, 1937 (= *Isotoma kisoana* Yosii, 1939) syn.nov. An epitokous species of Collembola (Isotomidae), 965
Fletcher, G. see Chakrabartty, A., 403
Fletcher, G.L. see Davies, P.L., 2611
Flood, P.F. see Wishart, W.D., 1664
Font, W.F. see Lasee, B.A., 1328
Forbes, L.S., and Sealy, S.G. Diving behaviour of male and female western grebes, 2695
Forbes, M.R.L., and Ankney, C.D. Nest attendance by adult Pied-billed Grebes, *Podilymbus podiceps* (L.), 2019
Ford, T.E., and Naiman, R.J. Alteration of carbon cycling by beaver: methane evasion rates from boreal forest streams and rivers, 529
Forester, D.C., and Lykens, D.V. The ability of wood frog eggs to withstand prolonged terrestrial stranding: an empirical study, 1733
Foty, R.A. see Liversage, R.A., 1900
François, J. see Tano, Y., 421
Freed, P.S. see Upton, S.J., 597
Frey, D.G. Separation of *Pleuroxus laevis* Sars, 1861 from two resembling species in North America: *Pleuroxus straminius* Birge, 1879 and ***Pleuroxus chiangi*** n.sp. (Cladocera, Chydoridae), 2534
Frisbie, M.P., and Dunson, W.A. Seasonal aspects of sodium, potassium, and water balance in the predaceous diving beetle *Dytiscus verticalis*, 1553
Fuller, G.A. see Plowright, R.C., 2847
Fuller, R.L., and DeStaffan, P.A. A laboratory study of the vulnerability of prey to predation by three aquatic insects, 875
Furilla, R.A. see Jones, D.R., 75
Gabbott, G.R.J. see Jones, D.R., 75
Galbraith, D.A., Bishop, C.A., Brooks, R.J., Simser, W.L., and Lampman, K.P. Factors affecting the density of populations of common snapping turtles (*Chelydra serpentina serpentina*), 1233
Garceau, C., Coderre, D., et Popovich, S. Impact du labour–hersage sur la communauté lombricienne, en plantation récente de feuillus, 1777
Gardner, S.L., and Schmidt, G.D. Cestodes of the genus *Hymenolepis* Weinland, 1858 sensu stricto from pocket gophers *Geomys* and *Thomomys* spp. (Rodentia: Geomyidae) in Colorado and Oregon, with a discriminant analysis of four species of *Hymenolepis*, 896

Gardner, S.L. see Upton, S.J., 2049
Gasaway, W.C. see Boertje, R.D., 2492
Gaskin, D.E. see Yurick, D.B., 399
Gates, C.C. see Adamczewski, J.Z., 1986
Gee, J.H. see Beaver, B.J., 2006
Gee, R.J. The anterior nervous system in the praesoma of five species of the genus *Neoechinorhynchus* (Acanthocephala: Neoechinorhynchidae) from turtles, 782
Geiger, H. see Porter, A.H., 2751
Gelder, S.R., and Rowe, J.P. Light microscopical and cytochemical study on the adhesive and epidermal gland cell secretions of the branchiobdellid *Cambarincola fallax* (Annelida: Clitellata), 2057
Génard, M., Lescourret, F., et Durrieu, G. Mycophagie chez le sanglier et hypothèses sur son rôle dans la dissémination des spores de champignons hypogés, 2324
Ghent, A.W. see Waldbauer, G.P., 1790
Gianonatti, C. see Bodega, G., 2415
Gill, B.D. see Howden, H.F., 2071
Gill, B.D. see Howden, H.F., 2077
Gilot, B., Doche, B., Deblock, S., et Pétavy, A.F. Éléments pour la cartographie écologique de l'échinococcose alvéolaire dans le Massif central (France) : essai de délimitation d'un foyer, 696
Gilot, B. see Deblock, S., 1562
Giraudoux, P. see Delattre, P., 2740
Glass, G.E. see Childs, J.E., 2769
Glenn, C.L., and Mathias, J.A. Sex ratios of young-of-the-year walleye (*Stizostedion vitreum*) collected from lakes and rearing ponds of western Canada and northern United States, 1772
Godin, J.-G.J., and Sproul, C.D. Risk taking in parasitized sticklebacks under threat of predation: effects of energetic need and food availability, 2360
Goltz, J.P. see Boer, A.H., 512
Gooding, R.H. Infection of post-teneral tsetse flies (*Glossina morsitans morsitans* and *Glossina morsitans centralis*) with *Trypanosoma brucei brucei*, 1289
Goolish, E.M., and Adelman, I.R. Tissue-specific allometry of an aerobic respiratory enzyme in a large and a small species of cyprinid (Teleostei), 2199
Goulet, D., and Green, J.M. Reproductive success of the male lumpfish (*Cyclopterus lumpus* L.) (Pisces: Cyclopteridae): evidence against female mate choice, 2513
Graham, M.S. see Farrell, A.P., 2368
Grainger, E.H. see Rochet, M., 1626
Grangaard, D.V. see Boertje, R.D., 2492
Granie-Prie, M. see Connes, R., 2133
Grant, G.M. see Otis, G.W., 2122
Graves, S., Maldonado, J., and Wolff, J.O. Use of ground and arboreal microhabitats by *Peromyscus leucopus* and *Peromyscus maniculatus*, 276
Gray, J.D. see Houston, A.H., 729
Gray, J.D. see Houston, A.H., 929
Green, D.M., and Barber, D.L. The ventral adhesive disc of the clingfish *Gobiesox maeandricus:* integumental structure and adhesive mechanisms, 1610
Green, D.M. see Baker, M.R., 707
Green, J.M. see Goulet, D., 2513
Green, R.H. see Bailey, R.C., 1704
Greenbaum, I.F. see Allard, M.W., 2734
Grenot, C. see Vernet, R., 555
Gubert, E. see Lewengrub, S., 1342
Guderley, H., and Blier, P. Thermal acclimation in fish: conservative and labile properties of swimming muscle, 1105
Guinea, A., Sola, A., Rueda, M.C., et Fernández-Galiano, D. Infraciliature, système myonémique, argyrome et bipartition de l'*Astylozoon pyriforme* (Ciliophora, Peritrichida), 2104
Gunn, S.J. Chromosomal variation and differentiation among insular populations of *Peromyscus* from the Pacific Northwest, 2726
Guppy, M. Limiting carbohydrate stores: alleviating the problem in the marathon runner, a hibernating lizard, and the neonate brain, 1090
Györkös, H. see Davies, D.M., 605
Györkös, H. see Davies, D.M., 2150
Hailey, A., and Loumbourdis, N.S. Egg size and shape, clutch dynamics, and reproductive effort in European tortoises, 1527
Hailey, A. see Wright, J., 1537
Hall, B.K. see Langille, R.M., 549
Halliday, R.G. see Markle, D.F., 1952
Halpin, M.A., and Bissonette, J.A. Influence of snow depth on prey availability and habitat use by red fox, 587
Hammons, A.M. see Farrell, A.P., 2368
Handford, P. Trill rate dialects in the Rufous-collared Sparrow, *Zonotrichia capensis,* in northwestern Argentina, 2658
Hanson, J.M., Mackay, W.C., and Prepas, E.E. Population size, growth, and production of a unionid clam, *Anodonta grandis simpsoniana,* in a small, deep Boreal Forest lake in central Alberta, 247
Harman, W.J., Brinkhurst, R.O., and Marchese, M. A contribution to the taxonomy of the aquatic Oligochaeta (Naididae) of South America, 2233
Haro, A.J., and Krueger, W.H. Pigmentation, size, and migration of elvers (*Anguilla rostrata* (Lesueur)) in a coastal Rhode Island stream, 2528
Harris, M.A. see Murie, J.O., 1414
Harris, P.D. Changes in the site specificity of *Gyrodactylus turnbulli* Harris, 1986 (Monogenea) during infections of individual guppies (*Poecilia reticulata* Peters, 1859), 2854
Hayunga, E.G., and Mackiewicz, J.S. Comparative histology of the scolex and neck region of *Glaridacris laruei* (Lamont, 1921) Hunter, 1927 and *Glaridacris catostomi* Cooper, 1920 (Cestoidea: Caryophyllidea), 790
Heieis, M.R.A., and Jones, D.R. Blood flow and volume distribution during forced submergence in Pekin ducks (*Anas platyrhynchos*), 1589
Heieis, M.R.A. see Jones, D.R., 75
Heimlich-Boran, J.R. Behavioral ecology of killer whales (*Orcinus orca*) in the Pacific Northwest, 565
Heitmeyer, M.E. Changes in the visceral morphology of wintering female mallards (*Anas platyrhynchos*), 2015
Heller, H.C. Sleep and hypometabolism, 61
Hendricks, A.C. see Nicoletto, P.F., 944
Herman, T.B. see Ovaska, K., 1752
Heske, E.J., Ostfeld, R.S., and Lidicker, W.Z., Jr. Does social behavior drive vole cycles? An evaluation of competing models as they pertain to California voles, 1153
Hew, C.L. see Chakrabartty, A., 403
Hew, C.L. see Davies, P.L., 2611
Hik, D.S. see Jackson, S.L., 1699
Hines, J.E. see Diefenbach, D.R., 1506
Hochachka, P.W. Metabolic suppression and oxygen availability, 152
Hochachka, P.W. Metabolic-, channel-, and pump-coupled functions: constraints and compromises of coadaptation, 1015
Hochachka, P.W. The nature of evolution and adaptation: resolving the unity–diversity paradox, 1146
Hochachka, P.W., Emmett, B., and Suarez, R.K. Limits and

constraints in the scaling of oxidative and glycolytic enzymes in homeotherms, 1128
Hochachka, P.W. see Parkhouse, W.S., 345
Hochachka, W.M. The effect of food supply on the composition of Black-billed Magpie eggs, 692
Hoeve, J. see Addison, E.M., 1359
Hoeve, J. see Addison, E.M., 2155
Hogans, W.E. Review of *Sarcotretes* Jungersen, 1911 (Copepoda: Pennellidae) from midwater and demersal fishes in the north Atlantic Ocean, 1371
Hogg, I.D. see Norton, R.A., 622
Holmes, J.C. see Munger, J.C., 222
Holmes, R.T., and Schultz, J.C. Food availability for forest birds: effects of prey distribution and abundance on bird foraging, 720
Holmes, W.G. Body fat influences sexual maturation in captive male Belding's ground squirrels, 1620
Hong, S.K. Man as a breath-hold diver, 70
Horn, A., and Falls, J.B. Structure of western meadowlark (*Sturnella neglecta*) song repertoires, 284
Hossain, A., and Dutta, H.M. Embryology of intestinal caeca in the bluegill (*Lepomis macrochirus*), 998
Houseman, J.G., Aresta, F., Mark, W.A., and Morrison, P.E. Effect of fractionated blood components on trypsin activity in the stable fly, *Stomoxys calcitrans* (L.) (Diptera: Muscidae), 1188
Houston, A.H., and Gray, J.D. Red cell magnesium in rainbow trout, 929
Houston, A.H., Murad, A., and Gray, J.D. Induction of anemia in goldfish, *Carassius auratus* L., by immersion in phenylhydrazine hydrochloride, 729
Houston, A.H. see Byrne, A.P., 758
Houston, D.B., and Stevens, V. Resource limitation in mountain goats: a test by experimental cropping, 228
Howden, H.F., and Gill, B.D. ***Xenocanthus***, a new genus of inquiline Scarabaeidae from southeastern Venezuela (Coleoptera), 2071
Howden, H.F., and Gill, B.D. A fourth genus of unusually modified Ceratocanthinae (Coleoptera: Scarabaeidae) from South America, 2077
Hoyle, J.A., and Keast, A. Prey handling time in two piscivores, *Esox americanus vermiculatus* and *Micropterus salmoides*, with contrasting mouth morphologies, 540
Hrudka, F. see Wishart, W.D., 1664
Hudson, R.J. see Adamczewski, J.Z., 1986
Hughes, G.W. see Peden, A.E., 1846
Hughes, M.R., and Roberts, J.R. Sodium uptake from the gut of freshwater- and seawater-acclimated ducks and gulls, 1365
Hunte, W. see Burt, A., 2090
Huntley, A.C. see Le Boeuf, B.J., 446
Huot, J. see Potvin, F., 1274
Hussell, D.J.T. see Alvo, R., 746
Ims, R.A. see Bondrup-Nielsen, S., 2442
Irons, J.G., III Life history patterns and trophic ecology of Trichoptera in two Alaskan (U.S.A.) subarctic streams, 1258
Irvine, J.R. see Swales, S., 254
Jackson, S.L., Hik, D.S., and Rockwell, R.F. The influence of nesting habitat on reproductive success of the lesser snow goose, 1699
Joachim, D.G. see Addison, E.M., 1359
Johansson, A. see Söderström, O., 2715
Johnston, C.E., and Morse, M. Summer ichthyoplankton communities of two estuarine systems of Prince Edward Island, 737
Jolicoeur, H., and Crête, M. Winter survival and habitat use of orphaned and non-orphaned moose calves in southern Quebec, 919
Jolicoeur, H. see Potvin, F., 1274
Jones, D.R., Furilla, R.A., Heieis, M.R.A., Gabbott, G.R.J., and Smith, F.M. Forced and voluntary diving in ducks: cardiovascular adjustments and their control, 75
Jones, D.R. see Heieis, M.R.A., 1589
Jones, D.R. see Douse, M.A., 2520
Kabata, Z., and Deets, G.B. ***Pseudanuretes papernai*** sp.nov. (Copepoda: Caligidae) with comments on the genus *Pseudanuretes* Yamaguti, 1936, 680
Kabata, Z., McFarlane, G.A., and Whitaker, D.J. Trematoda of sablefish, *Anoplopoma fimbria* (Pallas, 1811), as possible biological tags for stock identification, 195
Kabata, Z. see Arai, H.P., 1514
Kålås, J.A. Sexual dimorphism in size and plumage of the polyandrous Dotterel (*Charadrius morinellus*): sex roles and constraints on sexual selection, 1334
Kanwisher, J. see Fedak, M.A., 53
Karlsson, A.F. Over-winter survival in a boreal population of the bank vole, *Clethrionomys glareolus*, 1835
Karlsson, A.F. Interindividual proximity and the probability of winter survival in the bank vole, *Clethrionomys glareolus*, 1841
Kastelein, R.A. see Williams, T.M., 2776
Kastelein, R.A. see Davis, R.W., 2782
Kavaliers, M., and Podesta, R. Opioid involvement in parasite-induced behavioural modifications: evidence from hamsters infected with *Schistosoma mansoni*, 2653
Keast, A. see Hoyle, J.A., 540
Keast, A. see Chapleau, F., 2797
Keast, A. see Williamson, M., 2840
Keenleyside, M.H.A., and Dupuis, H.M.C. Courtship and spawning competition in pink salmon (*Oncorhynchus gorbuscha*), 262
Keenleyside, M.H.A., and Dupuis, H.M.C. Erratum: Courtship and spawning competition in pink salmon (*Oncorhynchus gorbuscha*), 1242
Keenleyside, M.H.A. see Noltie, D.B., 2676
Kehoe, F.P., Ankney, C.D., and Alisauskas, R.T. Effects of dietary fiber and diet diversity on digestive organs of captive Mallards (*Anas platyrhynchos*), 1597
Kehoe, F.P. see Eadie, J. McA., 1709
Keiver, K.M., Ronald, K., and Draper, H.H. Plasma levels of vitamin D and some metabolites in marine mammals, 1297
Kelleyhouse, D.G. see Boertje, R.D., 2492
Keppie, D.M., and Redmond, G.W. A review of possible explanations for reverse size dimorphism of American woodcock, 2390
Keppie, D.M. see Redmond, G.W., 2029
Kim, K.C. see Choe, J.C., 987
King, J.R. see Murphy, M.E., 1403
Kingsley, M.C.S., Nagy, J.A., and Reynolds, H.V. Growth in length and weight of northern brown bears: differences between sexes and populations, 981
Kirkpatrick, C.E., and Suthers, H.B. Epizootiology of blood parasite infections in passerine birds from central New Jersey, 2374
Kirkpatrick, R.L. see MacPherson, 1484
Klassen, G.J. see Wheeler, T.A., 1928
Koehler, C.E., and Barclay, R.M.R. The potential for vocal signatures in the calls of young hoary bats (*Lasiurus cinereus*), 1982
Kokko, E.G. see Shipp, J.L., 1425
Komers, P.E., and Boag, D.A. The reproductive performance of black-billed magpies: is it related to mate choice?, 1679
Kooyman, G.L. Pressure and the diver, 84
Korch, G.W., Jr. see Childs, J.E., 2769

Korczynski, R.E. Additional records on intersexuality in the isopod *Mesidotea sibirica* (Birula, 1896), 1896

Kramer, D.L. The behavioral ecology of air breathing by aquatic animals, 89

Krantz, G.W. On the identity of six Berlese species of *Macrocheles* (Acari: Macrochelidae): descriptions, redescriptions, and new synonymies, 968

Krantz, G.W. ***Gonatothrix carinata***, a new genus and species of the family Macrochelidae (Acari: Gamasida) phoretic on *Phanaeus pyrois* Bates (Coleoptera: Scarabaeidae), 1318

Krementz, D.G., and Ankney, C.D. Changes in lipid and protein reserves and in diet of breeding House Sparrows, 950

Krohne, D.T., Merritt, J.F., Vessey, S.H., and Wolff, J.O. Comparative demography of forest *Peromyscus*, 2170

Krueger, W.H. see Haro, A.J., 2528

Lacalli, T.C. Structural correlates of photoresponse in trochophore larvae, 1004

Lacalli, T.C. The suboral complex in the Müller's larva of *Pseudoceros canadensis* (Platyhelminthes, Polycladida), 1893

Lacalli, T.C., and West, J.E. Foregut innervation in juvenile *Spirobranchus spinosus* (Polychaeta), 1488

Lambertsen, R.H., Baker, C.S., Duffield, D.A., and Chamberlin-Lea, J. Cytogenetic determination of sex among individually identified humpback whales (*Megaptera novaeangliae*), 1243

Lampman, K.P. see Galbraith, D.A., 1233

Landry, G. see Maisse, G., 2312

Langille, R.M., and Hall, B.K. Artificial fertilization, rearing, and timing of stages of embryonic development of the anadromous sea lamprey, *Petromyzon marinus* L., 549

Lankester, M.W., and Luttich, S. *Fascioloides magna* (Trematoda) in woodland caribou (*Rangifer tarandus caribou*) of the George River herd, Labrador, 475

Larsen, B.B. see Rolstad, J., 670

Larsen, J.H., Jr., and Beneski, J.T., Jr. Quantitative analysis of feeding kinematics in dusky salamanders (*Desmognathus*), 1309

Larson, R.J. ***Kyopoda lamberti*** gen.nov., sp.nov., an atypical stauromedusa (Scyphozoa, Cnidaria) from the eastern Pacific, representing a new family, 2301

Lasee, B.A., Font, W.F., and Sutherland, D.R. ***Culaeatrema inconstans*** gen.n., sp.n. (Digenea: Allocreadiidae) from the brook stickleback (*Culaea inconstans*) in Wisconsin and observations on parthenogenetic populations, 1328

Lasee, B.A., Sutherland, D.R., and Moubry, M.E. Host–parasite relationships between burbot (*Lota lota*) and adult *Salmincola lotae* (Copepoda), 2459

Lavigne, D.M. see Reynolds, P.S., 835

Lawton, T. see Mihok, S., 323

Laybourn-Parry, J., Abdullaihi, B.A., and Tinson, S.V. Temperature-dependent energy partitioning in the benthic copepods *Acanthocyclops viridis* and *Macrocyclops albidus*, 2709

Leatherland, J.F. see Noltie, D.B., 2676

Le Boeuf, B.J., Costa, D.P., Huntley, A.C., and Feldkamp, S.D. Continuous, deep diving in female northern elephant seals, *Mirounga angustirostris*, 446

Lechleitner, R.A., and Phillips, J.E. Anion-stimulated ATPase in locust rectal epithelium, 431

Lee, D.L. see MacKinnon, B.M., 2791

Le Gallo, J.-M., et Moreteau, J.-C. Croissance et productivité d'une population du *Sphaerium corneum* (L.) (Bivalvia : Pisidiidae), 439

Leighton, F.A., Cattet, M., Norstrom, R., and Trudeau, S. A cellular basis for high levels of vitamin A in livers of polar bears (*Ursus maritimus*): the Ito cell, 480

Le Maho, Y. see Cherel, Y., 159

Lemon, R.E. see Morris, M.M.J., 212

Lemon, R.E. see Morris, M.M.J., 2255

Lepage, P., and Parker, G.H. Copper, nickel, and iron levels in pelage of red squirrels living near the ore smelters at Sudbury, Ontario, Canada, 1631

Le Pesteur, M.-H. see Delattre, P., 2740

Lescourret, F. see Génard, M., 2324

Levings, C.D. see Swales, S., 254

Lewengrub, S., Rudzinska, M.A., Piesman, J., Spielman, A., and Gubert, E. Hyperthermia and sporogony of *Babesia microti* in the tick *Ixodes dammini:* an ultrastructural study, 1342

Lewis, R.A. see Zwickel, F.C., 1736

Li, M.-M., and Arai, H.P. Electron microscopical observations on the effects of sera from two species of *Catostomus* on the tegument of *Hunterella nodulosa* (Cestoidea: Caryophyllidea), 1191

Lidicker, W.Z., Jr. see Heske, E.J., 1153

Lima, S.L. Vigilance and diet selection: a simple example in the dark-eyed junco, 593

Liu, E.H. see Zimmerman, E.G., 515

Liversage, R.A., Foty, R.A., and McLaughlin, D.S. Immunoreactive thyroxine levels in the serum of thyroidectomized adult newts, *Notophthalmus viridescens*, 1900

Loughton, B.G. see Carlisle, J.A., 191

Loumbourdis, N.S. see Hailey, A., 1527

Lu, J. see Murphy, M.E., 1403

Lundqvist, L. Reproductive strategies of ectoparasites on small mammals, 774

Luttich, S. see Lankester, M.W., 475

Lykens, D.V. see Forester, D.C., 1733

MacCrimmon, H.R. see Claytor, R.R., 310

MacCulloch, R.D., and Weller, W.F. Some aspects of reproduction in a Lake Erie population of Blanding's turtle, *Emydoidea blandingii*, 2317

Machordom, A. see Vigal, C.R., 2836

Mackay, W.C. see Hanson, J.M., 247

Mackiewicz, J.S. see Hayunga, E.G., 790

MacKinnon, B.M., and Lee, D.L. Age-related changes in *Heligmosomoides polygyrus* (Nematoda): neutral lipid content in developing oocytes, 2791

MacKinnon, B.M. see Skaling, B., 289

MacKinnon, B.M. see Riga, E., 1943

MacPherson, S.L., Servello, F.A., and Kirkpatrick, R.L. Seasonal variation in diet digestibility of pine voles, 1484

Magnan, P. see Naud, M., 1249

Magor, B.G. Gill histopathology of juvenile *Oncorhynchus kisutch* exposed to suspended wood debris, 2164

Maisse, G., Baglinière, J.L., Landry, G., Caron, F., et Rouleau, A. Identification externe du sexe chez le Saumon atlantique (*Salmo salar* L.), 2312

Malan, A. pH and hypometabolism in mammalian hibernation, 95

Maldonado, J. see Graves, S., 276

Mallatt, J. see Conley, D.M., 2398

Mallory, F.F. see Wakely, L.G., 1672

Marchand, B. see Toguebaye, B.S., 364

Marchese, M. see Harman, W.J., 2233

Marcotte, B.M. see Scott, P.J.B., 483

Mark, W.A. see Houseman, J.G., 1188

Markle, D.F., Dadswell, M.J., and Halliday, R.G. Demersal fish and decapod crustacean fauna of the upper continental slope off Nova Scotia from LaHave to St. Pierre Banks, 1952

Marshall, W.S. Passive solute and fluid transport in brook trout (*Salvelinus fontinalis*) urinary bladder epithelium, 912

Marshall, W.S., and Bryson, S.E. Evidence for Cl^--dependent K^+ secretion by the blood–testis barrier of brook trout, 1603

Marti, C.D. A long-term study of food-niche dynamics in the Common Barn-Owl: comparisons within and between populations, 1803

Martin, L., et Pinel-Alloul, B. Structure en taille des crustacés planctoniques d'un lac dimictique du Bouclier canadien, 1570

Masse, D., et Raymond, M. La nidification de la sauvagine dans le marécage de la Rivière-du-Sud et la zone agricole environnante, 1160

Masteller, M.A., and Bailey, J.A. Agonistic behavior among mountain goats foraging in winter, 2585

Mathews, N.E., and Porter, W.F. Black bear predation of white-tailed deer neonates in the central Adirondacks, 1241

Mathias, J.A. see Glenn, C.L., 1772

Mattacks, C.A. see Pond, C.M., 534

Maxwell, R.K., Thorkelson, J., Rogers, L.L., and Brander, R.B. The field energetics of winter-dormant black bear (*Ursus americanus*) in northeastern Minnesota, 2095

McAllister, C.T. see Upton, S.J., 1822

McArdle, B.H. The structural relationship: regression in biology, 2329

McDonald, D.G., and Prior, E.T. Branchial mechanisms of ion and acid–base regulation in the freshwater rainbow trout, *Salmo gairdneri*, 2699

McFarlane, G.A. see Kabata, Z., 195

McGowan, C. Differential development of the rostrum and mandible of the swordfish (*Xiphias gladius*) during ontogeny and its possible functional significance, 496

McKeown, B.A. see Barrett, B.A., 853

McKey-Fender, D., and Fender, W.M. ***Phagodrilus*** gen.nov. (Lumbriculidae): systematics and biology of a predaceous oligochaete from western North America, 2304

McKinnon, D.T. see Zwickel, F.C., 1736

McLachlin, D.J. see Addison, E.M., 1359

McLaughlin, D.S. see Liversage, R.A., 1900

McLennan, D.A., Brooks, D.R., and McPhail, J.D. The benefits of communication between comparative ethology and phylogenetic systematics: a case study using gasterosteid fishes, 2177

McNicol, D.K. see Blancher, P.J., 842

McPhail, J.D. see Ridgway, M.S., 201

McPhail, J.D. see Murray, C.B., 266

McPhail, J.D. see McLennan, D.A., 2177

Measures, L.N. Revision of the genus *Eustrongylides* Jägerskiöld, 1909 (Nematoda: Dioctophymatoidea) of piscivorous birds, 885

Measures, L.N. Epizootiology, pathology, and description of *Eustrongylides tubifex* (Nematoda: Dioctophymatoidea) in fish, 2212

Measures, L.N. The development and pathogenesis of *Eustrongylides tubifex* (Nematoda: Dioctophymatoidea) in piscivorous birds, 2223

Melville, L. see Blair, D., 1763

Merritt, J.F. see Krohne, D.T., 2170

Middleton, A.L.A. Polyandry in the mating system of the American Goldfinch, *Carduelis tristis*, 296

Mihok, S., Lawton, T., and Schwartz, B. Fates and movements of meadow voles (*Microtus pennsylvanicus*) following a population decline, 323

Miksys, S.L., and Saleuddin, A.S.M. Polysaccharide synthesis stimulating factors from the dorsal bodies and cerebral ganglia of *Helisoma duryi* (Mollusca: Pulmonata), 508

Millar, J.S. see Xia, X., 1184

Miller, B.J., Anderson, S.H., DonCarlos, M.W., and Thorne, E.T. Biology of the endangered black-footed ferret and the role of captive propagation in its conservation, 765

Miller, E.H. see Purdy, M.A., 1742

Milsom, W.K. Control of arrhythmic breathing in aerial breathers, 99

Moon, T.W. Adaptation, constraint, and the function of the gluconeogenic pathway, 1059

Morand, S. Cycle évolutif du *Nemhelix bakeri* Morand et Petter (Nematoda, Cosmocercidae), parasite de l'appareil génital de l'*Helix aspersa* Müller (Gastropoda, Helicidae), 1796

Moreteau, J.-C. see Le Gallo, J.-M., 439

Morin, P.-P., Dodson, J.J., and Doré, F.Y. Erratum: Heart rate conditioning to L-cysteine and other chemical stimuli in young Atlantic salmon (*Salmo salar*), 763

Morris, M.M.J., and Lemon, R.E. American Redstart nest placement in southwestern New Brunswick, 212

Morris, M.M.J., and Lemon, R.E. Mate choice in American Redstarts: by territory quality?, 2255

Morrison, P.E. see Houseman, J.G., 1188

Morse, M. see Johnston, C.E., 737

Moubry, M.E. see Lasee, B.A., 2459

Mrosovsky, N. Pivotal temperatures for loggerhead turtles (*Caretta caretta*) from northern and southern nesting beaches, 661

Munger, J.C., and Holmes, J.C. Benefits of parasitic infection: a test using a ground squirrel – trypanosome system, 222

Muñoz de Hoyos, P. see Duque, S., 300

Murad, A. see Houston, A.H., 729

Murie, J.O., and Harris, M.A. Social interactions and dominance relationships between female and male Columbian ground squirrels, 1414

Murphy, B.J. see Webster, K.A., 1046

Murphy, M.E., King, J.R., and Lu, J. Malnutrition during the postnuptial molt of White-crowned Sparrows: feather growth and quality, 1403

Murphy, R.W. The problematic phylogenetic analysis of interlocus heteropolymer isozyme characters: a case study from sea snakes and cobras, 2628

Murray, C.B., and McPhail, J.D. Effect of incubation temperature on the development of five species of Pacific salmon (*Oncorhynchus*) embryos and alevins, 266

Murray C.B. see Beacham, T.D., 1729

Murray, C.B. see Beacham, T.D., 2634

Musacchia, X.J. Endocrine regulation of carbohydrate metabolism in hypometabolic animals, 167

Nagy, J.A. see Kingsley, M.C.S., 981

Naiman, R.J. see Ford, T.E., 529

Naud, M., and Magnan, P. Diel onshore–offshore migrations in northern redbelly dace, *Phoxinus eos* (Cope), in relation to prey distribution in a small oligotrophic lake, 1249

Nener, J.C. Variable and constrained features of the ornithine–urea cycle, 1069

Nichols, J.D. see Diefenbach, D.R., 1506

Nicoletto, P.F., and Hendricks, A.C. Sexual differences in accumulation of mercury in four species of centrarchid fishes, 944

Nieukirk, S. see Chu, K., 336

Nilsson, A.N. A review of primary setae and pores on legs of larval Dytiscidae (Coleoptera), 2283

Noakes, D. see Arai, H.P., 1514

Noirot-Timothée, C. see Tano, Y., 421

Noltie, D.B. Differences in breeding Lake Superior pink salmon (*Oncorhynchus gorbuscha* (Walbaum)) associated with variation in thyroid hyperplasia, 2688

Noltie, D.B., Leatherland, J.F., and Keenleyside, M.H.A. Epi-

zootics of thyroid hyperplasia in Lake Superior and Lake Erie pink salmon (*Oncorhynchus gorbuscha* (Walbaum)), 2676

Norstrom, R. see Leighton, F.A., 480

Northcott, M.E. see Beveridge, M.C.M., 2564

Norton, R.A., Williams, D.D., Hogg, I.D., and Palmer, S.C. Biology of the oribatid mite *Mucronothrus nasalis* (Acari: Oribatida: Trhypochthoniidae) from a small coldwater springbrook in eastern Canada, 622

Nouira, S. see Vernet, R., 555

Nudds, T.D. see Eadie, J. McA., 1709

O'Connell, M.F. see Bourgeois, C.E., 685

Oftedal, O.T., Boness, D.J., and Bowen, W.D. The composition of hooded seal (*Cystophora cristata*) milk: an adaptation for postnatal fattening, 318

Oftedal, O.T. see Boness, D.J., 703

Okaeme, A.N. see Colbo, M.H., 2084

Orchard, I. see Carlisle, J.A., 191

Oring, L.W. see Colwell, M.A., 2315

Ostfeld, R.S. see Heske, E.J., 1153

Otis, G.W., Bath, J.B., Randall, D.L., and Grant, G.M. Studies of the honey bee tracheal mite (*Acarapis woodi*) (Acari: Tarsonemidae) during winter, 2122

Ovaska, K. Recognition of conspecific odors by the western red-backed salamander, *Plethodon vehiculum*, 1293

Ovaska, K., and Herman, T.B. Life history characteristics and movements of the woodland jumping mouse, *Napaeozapus insignis*, in Nova Scotia, 1752

Ovaska, K., and Smith, M.A. Predatory behavior of two species of ground beetles (Coleoptera: Carabidae) towards juvenile salamanders (*Plethodon vehiculum*), 599

Owen, R.E., and Plowright, R.C. Inheritance of metasomal pile colour variation in the bumble bee *Bombus rufocinctus* Cresson (Hymenoptera: Apidae), 1172

Pace, R.M., III. see Zicus, M.C., 1871

Packer, L. The effect of *Bombylius pulchellus* (Diptera; Bombyliidae) and other mortality factors upon the biology of *Halictus ligatus* (Hymenoptera; Halictidae) in southern Ontario, 611

Palmer, S.C. see Norton, R.A., 622

Paris, J. see Connes, R., 2133

Parker, G.H. see Lepage, P., 1631

Parker, K.E. Common loon reproduction and chick feeding on acidified lakes in the Adirondack Park, New York, 804

Parker, K.L. Effects of heat, cold, and rain on coastal black-tailed deer, 2475

Parkhouse, W.S. Skeletal muscle adaptations for maximizing exercise performance, 1084

Parkhouse, W.S., Dobson, G.P., and Hochachka, P.W. Control of glycogenolysis in rainbow trout muscle during exercise, 345

Parsons, T.R. see Webb, D.G., 1376

Pascal, M. see Delattre, P., 2740

Pasternak, J.J. Molecular biology of nematodes: some recent studies on *Panagrellus* and *Ascaris*, 2591

Paulson, G. see Borg, B., 1961

Peach Brown, H.C. see Thomas, V.G., 957

Pechmann, J.H.K. see Taylor, B.E., 2191

Peck, S.B. A review of the cave fauna of Canada, and the composition and ecology of the invertebrate fauna of caves and mines in Ontario, 1197

Peden, A.E., and Hughes, G.W. Sympatry in four species of *Rhinichthys* (Pisces), including the first documented occurrences of *R. umatilla* in the Canadian drainages of the Columbia River, 1846

Pelton, M.R. see Brody, A.J., 1482

Pence, D.B. see Waid, D.D., 2110

Pener, M.P., Tobe, S.S., and Stay, B. Effects of a synthetic precocene on late embryos and subsequent development of the cockroach *Diploptera punctata*, 2295

Perry, E.A., and Renouf, D. Further studies of the role of harbour seal (*Phoca vitulina*) pup vocalizations in preventing separation of mother–pup pairs, 934

Pétavy, A.F. see Gilot, B., 696

Pétavy, A.F. see Deblock, S., 1562

Peute, J. see Borg, B., 1961

Phillips, J.E. see Lechleitner, R.A., 431

Piesman, J. see Lewengrub, S., 1342

Pinel-Alloul, B. see Martin, L., 1570

Pinney, C. see Blinn, D.W., 427

Pinter, A.J. Multiannual fluctuations in precipitation and population dynamics of the montane vole, *Microtus montanus*, 2128

Pistrang, L.A., and Burger, J.F. The spatial and temporal distribution of four *Simulium tuberosum* (Diptera: Simuliidae) cytospecies in Waterville Valley, New Hampshire, U.S.A., 904

Plowright, R.C., and Fuller, G.A. The role of intruder behaviour in nestmate recognition by bumble bees (Hymenoptera: Apidae), 2847

Plowright, R.C. see Owen, R.E., 1172

Podesta, R. see Kavaliers, M., 2653

Pogson, G.H. Constraints on the genetic process of biochemical adaptation, 1139

Pond, C.M., and Mattacks, C.A. The distribution, cellular structure, and metabolism of adipose tissue in the fin whale, *Balaenoptera physalus*, 534

Poole, K.G., and Boag, D.A. Ecology of gyrfalcons, *Falco rusticolus*, in the central Canadian Arctic: diet and feeding behaviour, 334

Poole, K.G., and Bromley, R.G. Interrelationships within a raptor guild in the central Canadian Arctic, 2275

Popovich, S. see Garceau, C., 1777

Porter, A.H., and Geiger, H. Genetic and phenotypic population structure of the *Coenonympha tullia* complex (Lepidoptera: Nymphalidae: Satyrinae) in California: no evidence for species boundaries, 2751

Porter, W.F. see Mathews, N.E., 1241

Porter, W.P. see Bakko, E.G., 1783

Potvin, F. Wolf movements and population dynamics in Papineau-Labelle reserve, Quebec, 1266

Potvin, F., Jolicoeur, H., and Huot, J. Wolf diet and prey selectivity during two periods for deer in Quebec: decline versus expansion, 1274

Poulin, R., and FitzFerald, G.J. Water temperature, vertical distribution, and risk of ectoparasitism in juvenile sticklebacks, 2002

Power, G. see Adams, N.J., 2500

Prepas, E.E. see Hanson, J.M., 247

Prior, E.T. see McDonald, D.G., 2699

Pugh, S.R., and Tamarin, R.H. Inbreeding in a population of meadow voles. *Microtus pennsylvanicus*, 1831

Pugsley, C.W. see Zacharda, M., 646

Pullen, M.R. see Fedak, M.A., 53

Purdie, J. see Blair, D., 1763

Purdy, M.A., and Miller, E.H. Time budget and parental behavior of breeding American Black Oystercatchers (*Haematopus bachmani*) in British Columbia, 1742

Quail, A. see White, S., 173

Quinn, T.P. Estimated swimming speeds of migrating adult sockeye salmon, 2160

Quiring, D.T., and Timmins, P.R. Predation by American crows reduces overwintering European corn borer populations in southwestern Ontario, 2143
Rahbé, Y. see Febvay, G., 2449
Randall, D.J. see Tufts, B.L., 2503
Randall, D.L. see Otis, G.W., 2122
Rau, M.E. see Saumier, M.D., 1685
Raveling, D.G. Mate retention in Giant Canada Geese, 2766
Raymond, M. see Masse, D., 1160
Redmond, G.W., and Keppie, D.M. Variation in occupancy of coniferous territories by male American woodcock, 2029
Redmond, G.W. see Keppie, D.M., 2390
Reed, C.G. see Stricker, S.A., 368
Reed, C.G. see Stricker, S.A., 384
Reeves, G.H., and Everest, F.H. A food delivery system for laboratory streams, 755
Reimchen, T.E. Inefficient predators and prey injuries in a population of giant stickleback, 2036
Reiswig, H.M. see Scott, P.J.B., 483
Renouf, D. see Perry, E.A., 934
Resetarits, W.J., Jr., and Aldridge, R.D. Reproductive biology of a cave-associated population of the frog *Rana palustris*, 329
Retière, C. see Desrosiers, G., 1454
Reynolds, H.V. see Kingsley, M.C.S., 981
Reynolds, P.S., and Lavigne, D.M. Photoperiodic effects on body size and energetics of the collared lemming, *Dicrostonyx groenlandicus*, 835
Ribic, C.A. Maternal aggression in northern elephant seals: the effect of the pup, 1693
Ricci, N., and Verni, F. Motor and predatory behavior of *Litonotus lamella* (Protozoa, Ciliata), 1973
Richardson, J.P.M., and Adamson, M.L. ***Megalobatrachonema (Chabaudgolvania) waldeni*** n.sp. (Nematoda: Kathlaniidae) from the intestine of the northwestern salamander, *Ambystoma gracile* (Baird), 1502
Ridgway, M.S. Developmental stage of offspring and brood defense in smallmouth bass (*Micropterus dolomieui*), 1722
Ridgway, M.S., and McPhail, J.D. Raiding shoal size and a distraction display in male sticklebacks (*Gasterosteus*), 201
Riedman, M.L., and Estes, J.A. Predation on seabirds by sea otters, 1396
Riga, E., and MacKinnon, B.M. Chemical communication in *Heligmosomoides polygyrus* (Nematoda: Trichostrongylida): the effect of age and sexual status of attracting and responding worms and localization of the sites of pheromone production in the female, 1943
Riley, S.C. see Adams, N.J., 2500
Ring, R.A. see Topp, W., 2464
Ring, R.A. see Topp, W., 2469
Robbins, C.T. see Carl, G.R., 239
Roberts, J.L., and Rowell, D.M. Periodic respiration of gill-breathing fishes, 182
Roberts, J.R. see Hughes, M.R., 1365
Robertson, R.J. see Stutchbury, B.J., 827
Robin, J.-P. see Cherel, Y., 159
Rochet, M., and Grainger, E.H. Community structure of zooplankton in eastern Hudson Bay, 1626
Rockwell, R.F. see Jackson, S.L., 1699
Rogers, L.L. see Maxwell, R.K., 2095
Rogowitz, G.L. Forage quality and use of reforested habitats by snowshoe hares, 2080
Rolstad, J., Wegge, P., and Larsen, B.B. Spacing and habitat use of capercaillie during summer, 670
Rombough, P.J. Growth, aerobic metabolism, and dissolved oxygen requirements of embryos and alevins of steelhead, *Salmo gairdneri*, 651
Ronald, K. see Keiver, K.M., 1297
Ronaldson, L.D. see Ellis, D.V., 1898
Rosillon, D. Food preference and relative influence of temperature and food quality on life history characteristics of a grazing mayfly, *Ephemerella ignita* (Poda), 1474
Ross, D.M. see Dalby, J.E., Jr., 2484
Ross, L.G. see Beveridge, M.C.M., 2564
Roth, M. Morphology and development of the egg case in the parasitic copepod *Haemobaphes intermedius* Kabata, 1967 (Copepoda: Pennellidae), 2573
Rothfels, K. see Duque, S., 300
Rouleau, A. see Maisse, G., 2312
Rowe, J.P. see Gelder, S.R., 2057
Rowell, D.M. see Roberts, J.L., 182
Rubec, L.A. *Neobrachiella rostrata* (Copepoda: Lernaeopodidae) on the gills of the Greenland halibut, *Reinhardtius hippoglossoides* from the Gulf of St. Lawrence, 504
Rudzinska, M.A. see Lewengrub, S., 1342
Rueda, M.C. see Guinea, A., 2104
Rundgren, S. see Bengtsson, G., 1518
Russell, A.P. see Bauer, A.M., 1583
Saleuddin, A.S.M. see Miksys, S.L., 508
Sapp, R. see Stark, W.S., 1301
Saumier, M.D., Rau, M.E., and Bird, D.M. The influence of *Trichinella pseudospiralis* infection on the behaviour of captive, nonbreeding American kestrels (*Falco sparverius*), 1685
Scadding, S.R. Actinomycin D, cycloheximide, and tunicamycin inhibit vitamin A induced proximodistal duplication during limb regeneration in the axolotl *Ambystoma mexicanum*, 879
Scadding, S.R. Vitamin A modification of the positional information of blastema cells during limb regeneration in the axolotl *Ambystoma mexicanum*, 2065
Schmidt, G.D. see Gardner, S.L., 896
Schmutz, S.M. see Wishart, W.D., 1664
Schultz, J.C. see Holmes, R.T., 720
Schwartz, B. see Mihok, S., 323
Schweiger, S. see Boutin, S., 2270
Scott, D.M. see Ankney, C.D., 1254
Scott, J.S. Helminth parasites of redfish (*Sebastes fasciatus*) from the Scotian Shelf, Bay of Fundy, and eastern Gulf of Maine, 617
Scott, P.J.B., Reiswig, H.M., and Marcotte, B.M. Ecology, functional morphology, behaviour, and feeding in coral- and sponge-boring species of *Upogebia* (Crustacea: Decapoda: Thalassinidea), 483
Scudder, G.G.E. see Cannings, S.G., 1877
Sealy, S.G. see Forbes, L.S., 2695
Semlitsch, R.D. see Taylor, B.E., 2191
Servello, F.A. see MacPherson, 1484
Shaw, D.P. Redescription of *Bouvieriella carcinophila* (Chevreux, 1889) (Eusiroidea: Calliopiidae) from northern British Columbia and its proposed synonomy with *Leptamphopus paripes* Stephensen, 1931, 939
Shears, M. see Chakrabartty, A., 403
Shelley, R.M. The millipeds of eastern Canada (Arthropoda: Diplopoda), 1638
Shelton, G., and Croghan, P.C. Gas exchange and its control in

non-steady-state systems: the consequences of evolution from water to air breathing in the vertebrates, 109

Shipp, J.L. Classification system for embryonic development of *Simulium arcticum* Malloch (IIS-10.11) (Diptera: Simuliidae), 274

Shipp, J.L., Sutcliffe, J.F., and Kokko, E.G. External ultrastructure of sensilla on the antennal flagellum of a female black fly, *Simulium arcticum* (Diptera: Simuliidae), 1425

Simser, W.L. see Galbraith, D.A., 1233

Sinha, R.N. Population dynamics of Psocoptera in farm-stored grain and oilseed, 2618

Skaling, B., and MacKinnon, B.M. The absorptive surfaces of *Nectonema* sp. (Nematomorpha: Nectonematoidea) from *Pandalus montagui*: histology, ultrastructure, and absorptive capabilities of the body wall and intestine, 289

Smatresk, N.J. Control of the respiratory mode in air-breathing fishes, 144

Smirle, M.J., and Winston, M.L. Detoxifying enzyme activity in worker honey bees: an adaptation for foraging in contaminated ecosystems, 1938

Smith, F.M. see Jones, D.R., 75

Smith, J.W. An electronic method for estimating the vaginal and uterine egg content of nematodes, with special reference to ascaridoids, 2253

Smith, M.A. see Ovaska, K., 599

Smith, M.D. see Blake, R.W., 2093

Smith, M.H. see Zimmerman, E.G., 515

Söderström, O., and Johansson, A. Effects of habitat on development, fecundity, and susceptibility to parasites in *Parameletus chelifer* and *Parameletus minor* (Ephemeroptera), 2715

Sola, A. see Guinea, A., 2104

Soutar, B.M. see Adamczewski, J.Z., 1986

Soveri, T., Aarnio, M., and Tanhuanpää, E. The effect of condition and age on bone measurements and minerals in the mountain hare, 562

Spencer, A.N. Effects of Arg–Phe-amide peptides on identified motor neurons in the hydromedusa *Polyorchis penicillatus*, 639

Spidsø, T.K., and Stuen, O.H. Food selection by capercaillie chicks in southern Norway, 279

Spielman, A. see Lewengrub, S., 1342

Sproul, C.D. see Godin, J.-G.J., 2360

Stacey, P.J. see Baird, R.W., 2582

Stark, W.S., and Sapp, R. Eye color pigment granules in wild-type and mutant *Drosophila melanogaster*, 1301

Stay, B. see Pener, M.P., 2295

Steer, E. see Wright, J., 1537

Stephenson, A.B. see Addison, E.M., 2155

Sternburg, J.G. see Waldbauer, G.P., 1790

Sterner, M.C. see Espinosa, R.H., 2118

Stevens, E.D. Feeding performance of toads at different acclimation temperatures, 537

Stevens, V. see Houston, D.B., 228

Stewart, J.M., and Driedzic, W.R. Fatty acid binding proteins in teleost fish, 2671

Stiffler, D.F. see DeRuyter, M.L., 2383

Storey, J.M. see Storey, K.B., 1122

Storey, K.B. Suspended animation: the molecular basis of metabolic depression, 124

Storey, K.B. Mechanisms of glycolytic control during facultative anaerobiosis in a marine mollusc: tissue-specific analysis of glycogen phosphorylase and fructose-2.6-bisphosphate, 1767

Storey, K.B., and Storey, J.M. Freeze tolerance: constraining forces, adaptive mechanisms, 1122

Stricker, S.A., Reed, C.G., and Zimmer, R.L. The cyphonautes larva of the marine bryozoan *Membranipora membranacea*. I. General morphology, body wall, and gut, 368

Stricker, S.A., Reed, C.G., and Zimmer, R.L. The cyphonautes larva of the marine bryozoan *Membranipora membranacea*. II. Internal sac, musculature, and pyriform organ, 384

Strickland, M.A. see Addison, E.M., 2155

Stuen, O.H. see Spidsø, T.K., 279

Stutchbury, B.J., and Robertson, R.J. Within-season and age-related patterns of reproductive performance in female tree swallows (*Tachycineta bicolor*), 827

Suarez, I. see Bodega, G., 2415

Suarez, R.K. Thinking with and without oxygen: energy metabolism in vertebrate brains, 1041

Suarez, R.K. see Hochachka, P.W., 1128

Sutcliffe, J.F. see Shipp, J.L., 1425

Sutherland, D.R. see Lasee, B.A., 1328

Sutherland, D.R. see Lasee, B.A., 2459

Suthers, H.B. see Kirkpatrick, C.E., 2374

Swales, S., Caron, F., Irvine, J.R., and Levings, C.D. Overwintering habitats of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Keogh River system, British Columbia, 254

Tamarin, R.H. see Pugh, S.R., 1831

Tanhuanpää, E. see Soveri, T., 562

Tano, Y., François, J., and Noirot-Timothée, C. Effects of a juvenile hormone analogue on the metamorphic changes of the foregut and midgut in *Tenebrio molitor* L. (Insecta, Coleoptera), 421

Taylor, B.E., Estes, R.A., Pechmann, J.H.K., and Semlitsch, R.D. Trophic relations in a temporary pond: larval salamanders and their microinvertebrate prey, 2191

Terhune, J.M. Detection thresholds of a harbour seal to repeated underwater high-frequency, short-duration sinusoidal pulses, 1578

Thiriot-Quiévreux, C. Chromosome studies in pelagic opisthobranch molluscs, 1460

Thomas, J.A. see Williams, T.M., 2776

Thomas, J.A. see Davis, R.W., 2782

Thomas, V.G., and Peach Brown, H.C. Relationships among egg size, energy reserves, growth rate, and fasting resistance of Canada Goose goslings from southern Ontario, 957

Thomas, V.G. see Bethke, R.W., 2024

Thorkelson, J. see Maxwell, R.K., 2095

Thorne, E.T. see Miller, B.J., 765

Tibbits, G.F. see Farrell, A.P., 2368

Timmins, P.R. see Quiring, D.T., 2143

Tinson, S.V. see Laybourn-Parry, J., 2709

Titman, R.D. see Young, A.D., 2454

Tobe, S.S. see Pener, M.P., 2295

Toguebaye, B.S., et Marchand, B. Cytologie et taxonomie d'une microsporidie du genre *Unikaryon* (Microspora, Unikaryonidae) parasite de *Mylabris vestita* (Coleoptera, Meloidae), 364

Topp, W., and Ring, R.A. Adaptations of Coleoptera to the marine environment. I. Observations on rove beetles (Staphylinidae) from sandy beaches, 2464

Topp, W., and Ring, R.A. Adaptations of Coleoptera to the marine environment. II. Observations on rove beetles (Staphylinidae) from rocky shores, 2469

Trillmich, F. see Dellinger, T., 1865
Trudeau, S. see Leighton, F.A., 480
Tufts, B.L., and Randall, D.J. The distribution of protons and chloride ions across the erythrocyte membrane of the toad *Bufo marinus*, 2503
Upton, S.J., and Freed, P.S. Description of the oocysts of ***Isospora pachydactyli*** sp.nov. (Apicomplexa: Eimeriidae) from Bibron's gecko, *Pachydactylus bibronii* (Reptilia: Gekkonidae), 597
Upton, S.J., and McAllister, C.T. The Coccidia (Apicomplexa: Eimeriidae) of Anura. with descriptions of four new species, 1822
Upton, S.J., Gardner, S.L., and Duszynski, D.W. The round stingray, *Urolophus halleri* (Rajiformes: Dasyatidae), as a host for ***Eimeria chollaensis*** sp.nov. (Apicomplexa: Eimeriidae), 2049
Vannier, G. see Chauvin, G., 2421
van Zyll de Jong, C.G. see Volobouev, V.T., 1968
Vernet, R., Grenot, C., et Nouira, S. Flux hydriques et métabolisme énergétique dans un peuplement de Lacertidés des îles Kerkennah (Tunisie), 555
Verni, F. see Ricci, N., 1973
Vernon, P. see Chauvin, G., 2421
Vessey, S.H. see Krohne, D.T., 2170
Vigal, C.R., et Machordom, A. Évaluation de la méthode de détermination de l'âge en fonction de la masse du cristallin chez le bouquetin (*Capra pyrenaica* Schinz, 1838), 2836
Vincent, B. see Desrosiers, G., 1454
Volobouev, V.T., and van Zyll de Jong, C.G. The karyotype of *Sorex arcticus maritimensis* (Insectivora, Soricidae) and its systematic implications, 1968
Vovlas, N. see Abrantes, I.M. de O., 2852
Waas, J.R. Song pitch – habitat relationships in white-throated sparrows: cracks in acoustic windows?, 2578
Wagner, V.T. see Blinn, D.W., 427
Waid, D.D., and Pence, D.B. Helminths of mountain lions (*Felis concolor*) from southwestern Texas, with a redescription of *Cylicospirura subaequalis* (Molin, 1860) Vevers, 1922, 2110
Wakely, L.G., and Mallory, F.F. Hierarchical development, agonistic behaviours, and growth rates in captive arctic fox, 1672
Waldbauer, G.P., Sternburg, J.G., and Ghent, A.W. Lakes Michigan and Huron limit gene flow between the subspecies of the butterfly *Limenitis arthemis*, 1790
Wang, L.C.H., and Wolowyk, M.W. Torpor in mammals and birds, 133
Way, C.M. An analysis of life histories in freshwater bivalves (Mollusca: Pisidiidae), 1179
Webb, D.G., and Parsons, T.R. Empirical analysis of the effect of temperature on marine harpacticoid copepod development time, 1376
Weber, J.-M. Design of exogenous fuel supply systems: adaptive strategies for endurance locomotion, 1116
Webster, K.A., and Murphy, B.J. Regulation of tissue-specific glycolytic isozyme genes: coordinate response to oxygen availability in myogenic cells, 1046
Wegge, P. see Rolstad, J., 670
Weilgart, L.S., and Whitehead, H. Distinctive vocalizations from mature male sperm whales (*Physeter macrocephalus*), 1931
Weinberg, P.H. see Baumgartner, J.V., 467
Weller, W.F. see MacCulloch, R.D., 2317
West, J.E. see Lacalli, T.C., 1488
Wheeler, T.A., and Klassen, G.J. ***Thylacicleidus serendipitus*** n.gen., n.sp. (Monogenea: Ancyrocephalidae) from the Indonesian freshwater puffer *Tetraodon fluviatilis* (Tetraodontiformes: Tetraodontidae), 1928
Whitaker, D.J. see Kabata, Z., 195
White, S., and Quail, A. Nasopharyngeal reflexes: role of brain monoamines in central integration. A review, 173
Whitehead, H., and Carlson, C. Social behaviour of feeding finback whales off Newfoundland: comparisons with the sympatric humpback whale, 217
Whitehead, H. see Weilgart, L.S., 1931
Wildish, D.J. Ecology and natural history of aquatic Talitroidea, 2340
Williams, D.D. see Norton, R.A., 622
Williams, T.M., Kastelein, R.A., Davis, R.W., and Thomas, J.A. The effects of oil contamination and cleaning on sea otters (*Enhydra lutris*). I. Thermoregulatory implications based on pelt studies, 2776
Williams, T.M. see Davis, R.W., 2782
Williamson, M., and Keast, A. Retinal structure relative to feeding in the rock bass (*Ambloplites rupestris*) and bluegill (*Lepomis macrochirus*), 2840
Wilson, S.F., and Ankney, C.D. Variation in structural size and wing stripe of Lesser and Greater scaup, 2045
Winston, M.L. see Smirle, M.J., 1938
Winston, M.L. see Fergusson, L.A., 1997
Wishart, W.D., Hrudka, F., Schmutz, S.M., and Flood, P.F. Observations on spermatogenesis, sperm phenotype, and fertility in white-tailed × mule deer hybrids and a yak × cow hybrid, 1664
Wissinger, S.A. Effects of food availability on larval development and inter-instar predation among larvae of *Libellula lydia* and *Libellula luctuosa* (Odonata: Anisoptera), 543
Woakes, A.J. Metabolism in diving birds: studies in the laboratory and the field, 138
Wolfe, L.M., and Barrett, S.C.H. Temporal changes in the pollinator fauna of tristylous *Pontederia cordata*, an aquatic plant, 1421
Wolff, J.O. see Graves, S., 276
Wolff, J.O. see Krohne, D.T., 2170
Wolowyk, M.W. see Wang, L.C.H., 133
Wong, P.L., and Anderson, R.C. ***Skrjabinoclava bartlettae*** n.sp. (Nematoda: Acuarioidea) from the black-bellied plover (*Pluvialis squatarola* (L.)) (Charadriiformes: Charadriidae), 2262
Wong, P.L., and Anderson, R.C. Transmission of *Skrjabinoclava morrisoni* Wong and Anderson. 1988 (Nematoda: Acuarioidea) to semipalmated sandpipers (*Calidris pusilla* (L.)) (Charadriiformes: Scolopacidae), 2265
Wood, S.C. see Dupré, R.K., 2649
Wooten, M.C. see Zimmerman, E.G., 515
Wright, J., Steer, E., and Hailey, A. Habitat separation in tortoises and the consequences for activity and thermoregulation, 1537
Wunder, B.A. see Bakko, E.G., 1783
Wyatt, G.R. Vitellogenin synthesis and the analysis of juvenile hormone action in locust fat body, 2600
Xia, X., and Millar, J.S. Paternal behavior by *Peromyscus leucopus* in enclosures, 1184
Yack, J.E. Seasonal partitioning of atympanate moths in relation to bat activity, 753
Yoshida-Shaul, E., and Chant, D.A. Descriptions of two unusual new species in the genus *Amblyseius* Berlese (Acari: Phytoseiidae), 2053
Young, A.D., and Titman, R.D. Intraspecific nest parasitism in Red-breasted Mergansers, 2454
Yurick, D.B., and Gaskin, D.E. Asymmetry in the skull of the harbour porpoise *Phocoena phocoena* (L.) and its relationship to sound production and echolocation, 399
Zacharda, M., and Pugsley, C.W. ***Robustocheles occulta*** sp.n., a

new troglobitic mite (Acari: Prostigmata: Rhagidiidae) from North American caves, 646

Zicus, M.C., Briggs, M.A., and Pace, R.M., III DDE, PCB, and mercury residues in Minnesota Common Goldeneye and Hooded Merganser eggs, 1981, 1871

Zimmer, R.L. see Stricker, S.A., 368

Zimmer, R.L. see Stricker, S.A., 384

Zimmerman, E.G., Liu, E.H., Smith, M.H., and Wooten, M.C. Microhabitat variation in enzyme activities in the mosquitofish, *Gambusia affinis*, 515

Zwickel, F.C., Lewis, R.A., and McKinnon, D.T. Nesting parameters in a high density, declining population of blue grouse, 1736